PERIODICAL
UNIVERSITY OF HAWAII
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 20
September to October 1966

ACADEMIC PRESS
LONDON and NEW YORK

QH 301
J73

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

679163

QH301
J73
v.20

5856-79

CONTENTS OF VOLUME 20

Number 1, September 1966

Hadjivassiliou, A. and Brawerman, G., Polyadenylic Acid in the Cytoplasm of Rat Liver 1

Lark, K. G. and Lark, C., Regulation of Chromosome Replication in *Escherichia coli*: a Comparison of the Effects of Phenethyl Alcohol Treatment with those of Amino Acid Starvation 9

Smith, B. J., Some Effects of Bromouracil on the Kinetics of Thymineless Death in *Escherichia coli* 21

Warshaw, M. M. and Tinoco, I., Jr., Optical Properties of Sixteen Dinucleoside Phosphates 29

Cantor, C. R., Jaskunas, S. R. and Tinoco, I., Jr., Optical Properties of Ribonucleic Acids predicted from Oligomers 39

Appendix 61

Roberts, W. K. and Newman, J. F. E., Use of Low Concentrations of Actinomycin D in the Study of RNA Synthesis in Ehrlich Ascites Cells . . 63

Kiefer, B., Sakai, H., Solari, A. J. and Mazia, D., The Molecular Unit of the Microtubules of the Mitotic Apparatus 75

Brown, D. D. and Littna, E., Synthesis and Accumulation of DNA-like RNA during Embryogenesis of *Xenopus laevis* 81

Brown, D. D. and Littna, E., Synthesis and Accumulation of Low Molecular Weight RNA during Embryogenesis of *Xenopus laevis* 95

Sox, H. C., Jr. and Hoagland, M. B., Functional Alterations in Rat Liver Polysomes associated with Starvation and Refeeding 113

Mangiarotti, G. and Schlessinger, D., Polyribosome Metabolism in *Escherichia coli*. I. Extraction of Polyribosomes and Ribosomal Subunits from Fragile, Growing *Escherichia coli* 123

Attardi, G., Parnas, H., Hwang, M-I. H. and Attardi, B., Giant-size Rapidly Labeled Nuclear Ribonucleic Acid and Cytoplasmic Messenger Ribonucleic Acid in Immature Duck Erythrocytes 145

Kano-Sueoka, T. and Sueoka, N., Modification of Leucyl-sRNA after Bacteriophage Infection 183

Letter to the Editor—

Damiani, A., Giglio, E., Liquori, A. M., Puliti, R. and Ripamonti, A., Molecular Geometry of a 2 : 1 Crystalline Complex between 1, 3, 7, 9-Tetramethyluric Acid and 3, 4-Benzpyrene 211

NUMBER 2, SEPTEMBER 1966

PEARSON, M. and JOHNS, H. E., Suppression of Hydrate and Dimer Formation in Ultraviolet-irradiated Poly (A + U) relative to Poly U . . . 215

JOHNS, H. E., PEARSON, M. and BROWN, I. H., Mathematical Aspects of the Ultraviolet Photochemistry of Poly U 231

PEARSON, M., WHILLANS, D. W., LEBLANC, J. C. and JOHNS, H. E., Dependence on Wavelength of Photoproduct Yields in Ultraviolet-irradiated Poly U . 245

PALEČEK, E., Polarographic Behaviour of Native and Denatured Deoxyribonucleic Acids 263

ELLEM, K. A. O., Some Properties of Mammalian DNA-like RNA isolated by Chromatography on Methylated Bovine Serum Albumin–Kieselguhr Columns 283

GILMORE, R. A. and MORTIMER, R. K., Super-suppressor Mutations in *Saccharomyces cerevisiae* 307

KUBINSKI, H., OPARA-KUBINSKA, Z. and SZYBALSKI, W., Patterns of Interaction between Polyribonucleotides and Individual DNA Strands derived from Several Vertebrates, Bacteria and Bacteriophages 313

OPPENHEIM, A. B. and RILEY, M., Molecular Recombination following Conjugation in *Escherichia coli* 331

RILEY, M., MALING, B. and CHAMBERLIN, M. J., Physical and Chemical Characterization of Two- and Three-stranded Adenine–Thymine and Adenine–Uracil Homopolymer Complexes 359

KAMINER, B. and BELL, A. L., Myosin Filamentogenesis: Effects of pH and Ionic Concentration 391

ASAI, H. and TAWADA, K., Enzymic Nature of F-Actin at High Temperature. 403

Letters to the Editor—

GLASSMAN, E., SHINODA, T., MOON, H. M. and KARAM, J. D., *In vitro* Complementation between Non-allelic *Drosophila* Mutants deficient in Xanthine Dehydrogenase. IV. Molecular Weights . . . 419

WEBER, K., NOTANI, G., WIKLER, M. and KONIGSBERG, W., Amino Acid Sequence of the f_2 Coat Protein 423

NUMBER 3, OCTOBER 1966

SCHAPIRA, G., PADIEU, P., MALEKNIA, N., KRUH, J. et DREYFUS, J. C. avec la collaboration technique de ALEXANDRE, Y., BENRUBI-DUMONT, M., REIBEL, L., THIREAU, A. M. et TICHONICKY, L., Information Génétique portée par une Fraction Soluble de Réticulocytes et traduite et Protéine Spécifique sur les Ribosomes d'une Autre Espèce 427

ESTRUP, F. and SANTER, M., Immunological Analysis of the Proteins of *Escherichia coli* Ribosomes 447

TEWARI, K. K., VÖTSCH, W., MAHLER, H. R. and MACKLER, B., Biochemical Correlates of Respiratory Deficiency. VI. Mitochondrial DNA . . . 453

ARBER, W., Host Specificity of DNA produced by *Escherichia coli*. 9. Host-controlled Modification of Bacteriophage fd. 483

PETERSON, J. M. and GUILD, W. R., A Differential Solvent Effect on Thermal Stability of Genetic Markers in DNA 497

BARBOUR, S. D. and PARDEE, A. B., The Establishment of β-Galactosidase Repression in the Mating System of *Escherichia coli* K12 . . . 505

HORIUCHI, T. and OHSHIMA, Y., Inhibition of Repressor Formation in the Lactose System of *Escherichia coli* by Inhibitors of Protein Synthesis . 517

SJÖQUIST, J. and VAUGHAN, M. H., JR., Heterogeneity of H and L Chains of Normal and Myeloma γG-Globulin 527

SJÖQUIST, J., Degradation of Human γG-Globulin with Cyanogen Bromide . 537

EBISUZAKI, K., Ultraviolet Sensitivity and Functional Capacity in Bacteriophage T4 545

FRIESEN, J. D., Control of Messenger RNA Synthesis and Decay in *Escherichia coli* 559

TSUCHIDA, N., NONOYAMA, M. and IKEDA, Y., Perpetuation of Genome of a Temperature-sensitive Mutant of RNA Bacteriophage β in Growing Cells of *Escherichia coli* at High Temperature 575

Letter to the Editor—

SCHWIMMER, S. and OLIVERA, B. M., Electrophoretic Properties of Enzymically Synthesized DNA 585

Erratum 589

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_september-october-1966_20_contents

Index to Volume 20

F-Actin, enzymic nature at high temperature, 403
Actinomycin D, use of low concentrations in the study of RNA synthesis in Ehrlich ascites cells, 63
Adenine–thymine and adenine–uracil homopolymer complexes, two- and three-stranded, physical and chemical characterization, 359
Amino acid sequence of the f_2 coat protein, 423
— — starvation, a comparison of its effects on the regulation of chromosome replication in *Escherichia coli* with those of phenethyl alcohol treatment, 9
Arber, W., Host specificity of DNA produced by *Escherichia coli*. 9. Host-controlled modification of bacteriophage fd, 483
Asai, H. & Tawada, K., Enzymic nature of F-actin at high temperature, 403
Ascites cells, Ehrlich, use of low concentrations of actinomycin D in the study of the RNA synthesis in, 63
Attardi, B. (see Attardi, G.), 145
—, G., Parnas, H., Hwang, M-I. H. & Attardi, B., Giant-size rapidly labeled nuclear ribonucleic acid and cytoplasmic messenger ribonucleic acid in immature duck erythrocytes, 145

Bacteriophage β in growing cells of *Escherichia coli* of high temperature, perpetuation of genome of a temperature-sensitive mutant of RNA, 575
— f_2 coat protein, amino acid sequence, 423
— fd, host-controlled modification of, 483
— infection, its effect on leucyl-sRNA, 183
— T4, ultraviolet sensitivity and functional capacity, 545
Barbour, S. D. & Pardee, A. B., The establishment of β-galactosidase repression in the mating system of *Escherichia coli* K12, 505
Bell, A. L. (see Kaminer, B.), 391
3,4-Benzpyrene and 1,3,7,9,-tetramethyluric acid, a crystalline complex, the molecular geometry, 211
Brawerman, G. (see Hadjivassiliou, A.), 1
Bromouracil, effects on kinetics of thymineless death in *Escherichia coli*, 21
Brown, D. D. & Littna, E., Synthesis and accumulation of DNA-like RNA during embryogenesis of *Xenopus laevis*, 81
— —, — — — — low molecular weight RNA during embryogenesis of *Xenopus laevis*, 95
—, I. H. (see Johns, H. E.), 231

Cantor, C. R., Jaskunas, S. R. & Tinoco, I., Jr., Optical properties of ribonucleic acids predicted from oligomers, 39
Chamberlin, M. J. (see Riley, M.), 369
Chromatography, isolation of mammalian DNA-like RNA on methylated bovine serum albumin–kieselguhr columns, 283
Chromosome replication in *Escherichia coli*, regulation, a comparison of the effects of phenethyl alcohol treatment with those of amino acid starvation, 9
Conjugation in *Escherichia coli*, followed by molecular recombination, 331
Cyanogen bromide degrading human γG-globulin, 537

Damiani, A., Giglio, E., Liquori, A. M., Puliti, R. & Ripamonti, A., Molecular geometry of a 2:1 crystalline complex between 1,3,7,9-tetramethyluric acid and 3,4-benzpyrene, 211
Deoxyribonucleic acid, a differential solvent effect on thermal stability of genetic markers in, 497
— —, enzymically synthesized, electrophoretic properties, 585
— —, host specificity of, produced by *Escherichia coli*, 9. Host-controlled modification of bacteriophage fd, 483

Deoxyribonucleic acid, individual strands and polyribonucleotides from several vertebrates, bacteria and bacteriophages, patterns of interaction, 313
— — -like RNA, mammalian, isolated by chromatography on methylated bovine serum albumin–kieselguhr columns, 283
— — — —, synthesis and accumulation during embryogenesis of *Xenopus laevis*, 81
— —, mitochondrial, its effect on respiratory deficiency, 453
Deoxyribonucleic acids, native and denatured, polarographic behaviour, 263
Dinucleoside phosphates, optical properties of sixteen types, 29
Dreyfus, J. C. (see Schapira, G.), 427
Drosophila mutants deficient in xanthine dehydrogenase, *in vitro* complementation between non-allelic. IV. Molecular weights, 419

Ebisuzaki, K., Ultraviolet sensitivity and functional capacity in bacteriophage T4, 545
Ehrlich ascites cells, use of low concentrations of actinomycin D in the study of the RNA synthesis, 63
Electrophoretic properties of enzymically synthesized DNA, 585
Ellem, K. A. O., Some properties of mammalian DNA-like RNA isolated by chromatography on methylated bovine serum albumin-kieselguhr columns, 283
Embryogenesis of *Xenopus laevis* during which DNA-like RNA is synthesized and accumulated, 81
— — — — — — — low molecular weight RNA is synthesized and accumulated, 95
Enzymic nature of F-actin at high temperature, 403
Enzymically synthesized DNA, electrophoretic properties, 585
Erythrocytes, immature duck, giant-size rapidly labeled nuclear ribonucleic acid and cytoplasmic messenger RNA, 145
Escherichia coli at high temperature, perpetuation of genome of a temperature-sensitive mutant of RNA bacteriophage β in growing cells of, 575
— —, control of messenger RNA synthesis and decay, 559
— —, host specificity of DNA produced by. 9. Host-controlled modification of bacteriophage fd, 483
— — inhibition of repressor formation in the lactose system by inhibitors of protein synthesis, 517
— — K12, establishment of β-galactosidase repression in the mating system, 505
— —, molecular recombination following conjugation, 331
— —, polyribosome metabolism. I. Extraction of polyribosomes and ribosomal subunits from fragile, growing *Escherichia coli*, 123
— —, regulation of chromosome replication: a comparison of the effects of phenethyl alcohol treatment with those of amino acid starvation, 9
— —, ribosomes, immunological analysis of the proteins, 447
— —, some effects of bromouracil on the kinetics of thymineless death in, 21
Estrup, F. & Santer, M., Immunological analysis of the proteins of *Escherichia coli* ribosomes, 447

f_2 (see bacteriophage), 423
fd (see bacteriophage), 483
Friesen, J. D., Control of messenger RNA synthesis and decay in *Escherichia coli*, 559

β-Galactosidase repression, establishment in the mating system of *Escherichia coli*, K12, 505
Genetic markers in DNA, a differential solvent effect on thermal stability of, 497
Giglio, E. (see Damiani, A.), 211
Gilmore, R. A. & Mortimer, R. K., Super-suppressor mutations in *Saccharomyces cerevisiae*, 307
Glassman, E., Shinoda, T., Moon, H. M. & Karam, J. D., *In vitro* complementation between non-allelic *Drosophila* mutants deficient in xanthine dehydrogenase. IV. Molecular weights, 419
γG-Globulin, human, degradation with cyanogen bromide, 537
— —, normal and myeloma, heterogeneity of H and L chains, 527
Guild, W. R. (see Peterson, J. M.), 497

Hadjivassiliou, A. & Brawerman, G., Polyadenylic acid in the cytoplasm of rat liver, 1
Hoagland, M. B. (see Sox, H. C., Jr.), 113
Homopolymer complexes, two- and three-stranded adenine–thymine and adenine–uracil, physical and chemical characterization, 359

Horiuchi, T. & Ohshima, Y., Inhibition of repressor formation in the lactose system of *Escherichia coli* by inhibitors of protein synthesis, 577
Hwang, M-I. H. (see Attardi, G.), 145

Ikeda, Y. (see Tsuchida, N.,), 575
Immunological analysis of the proteins of *Escherichia coli* ribosomes, 447

Jaskunas, S. R. (see Cantor, C. R.), 39
Johns, H. E., Pearson, M. & Brown, I. H., Mathematical aspects of the ultraviolet photochemistry of polyucidylic acid, 231
— (see Pearson, M.), 215, 245

Kaminer, B. & Bell, A. L., Myosin filamentogenesis: effects of pH and ionic concentration, 391
Kano-Sueoka, T. & Sueoka, N., Modification of leucyl-sRNA after bacteriophage infection, 183
Karam, J. D. (see Glassman, E.), 419
Kiefer, B., Sakai, H., Solari, A. J. & Mazia, D., The molecular unit of microtubules of the mitotic apparatus, 75
Konigsberg, W. (see Weber, K.), 423
Kruh, J. (see Schapira, G.), 427
Kubinski, H., Opara-Kubinska, Z. & Szybalski, W., Patterns of interaction between polyribonucleotides and individual DNA strands derived from several vertebrates, bacteria and bacteriophages, 313

Lactose system of *Escherichia coli*, inhibition of repressor formation in, by inhibitors of protein synthesis, 517
Lark, C. (see Lark, K. G.), 9
Lark, K. G. & Lark, C., Regulation of chromosome replication in *Escherichia coli:* a comparison of the effects of phenethyl alcohol treatment with those of amino acid starvation, 9
LeBlanc, J. C. (see Pearson, M.), 245
Leucyl-sRNA, modification after bacteriophage infection, 83
Liquori, A. M. (see Damiani, A.), 211
Littna, E. (see Brown, D. D.), 81, 95

Mackler, B. (see Tewari, K. K.), 453
Mahler, H. R. (see Tewari, K. K.), 453
Maleknia, N. (see Schapira, G.), 427
Maling, B. (see Riley, M.), 359
Mangiarotti, G. & Schlessinger, D., Polyribosome metabolism in *Escherichia coli*. I. Extraction of polyribosomes and ribosomal subunits from fragile growing *Escherichia coli*, 123
Mazia, D. (see Kiefer, B.), 75
Messenger RNA, control of the synthesis and decay in *Escherichia coli*, 567
— —, cytoplasmic, in immature duck erythrocytes, 145
Microtubules of the mitotic apparatus, the molecular unit, 75
Mitotic apparatus, the molecular unit of microtubules, 75
Mitochondrial DNA, its effect on respiratory deficiency, 453
Moon, H. M. (see Glassman, E.), 419
Mortimer, R. K. (see Gilmore, R. A.), 307
Mutant, *Drosophila*, non-allelic deficient in xanthine dehydrogenase, 419
—, temperature sensitive, of RNA bacteriophage β in growing cells of *Escherichia coli*, perpetuation of genome at high temperature, 575
Mutations, super-suppressor, in *Saccharomyces cerisiae*, 307
Myeloma and normal γG-globulin, heterogeneity of H and L chains, 527
Myosin filamentogenesis: effects of pH and ionic concentration, 391

Newman, J. F. E. (see Roberts, W. K.), 63
Nonoyama, M. (see Tsuchida, W.), 575
Notani, G. (see Weber, K.), 423
Nuclear RNA, giant-sized rapidly labeled in immature duck erythrocytes, 145

Oligomers used to predict the optical properties of ribonucleic acid, 39
Olivera, B. M. (see Schwimmer, S.), 585
Opara-Kubinska, Z. (see Kubinski, H.), 313
Ohshima, Y. (see Horiuchi, T.), 517
Oppenheim, A. B. & Riley, M. Molecular recombination following conjugation in *Escherichia coli*, 331
Optical properties of ribonucleic acid predicted from oligomers, 39
— —, sixteen dinucleoside phosphates, 29

Padieu, P. (see Schapira, G.), 427
Palaček, E., Polarographic behaviour of native and denatured deoxyribonucleic acids, 263
Pardee, A. B. (see Barbour, S. D.), 505
Parnas, H. (see Attardi, G.), 145
Pearson, M. & Johns, H. E., Suppression of hydrate and dimer formation in ultraviolet-irradiated poly (A + U) relative to poly U, 215
—, Whillans, D. W., LeBlanc, J. C. & Johns, H. E., Dependence on wavelength of photo-product yields in ultraviolet-irradiated poly U, 245
— (see Johns, H. E.), 231
Peterson, J. M. & Guild, W. R., A differential solvent effect on thermal stability of genetic markers in DNA, 497
Phenethyl alcohol treatment, a comparison of its effects on the regulation of chromosome replication in *Escherichia coli* with those of amino acid starvation, 9
Phosphates, dinucleoside, optical properties of sixteen types, 29
Polarographic behaviour of native and denatured deoxyribonucleic acids, 263
Polyadenylic acid in the cytoplasm of rat liver, 1
Poly (A + U), ultraviolet-irradiated, relative to poly U, suppression of hydrate and dimer formation, 245
Polyribonucleotides, patterns of interaction with individual DNA strands derived from several vertebrates, bacteria and bacteriophages, 313
Polyribosome metabolism in *Escherichia coli*. I. Extraction of polyribosomes and ribosomal subunits from fragile growing *Escherichia coli*, 123
Polysomes, functional alterations in, associated with starvation and refeeding, 113
Polyuridylic acid, mathematical aspects of the ultraviolet photochemistry, 231
— —, suppression of hydrate and dimer formation in related ultraviolet-irradiated poly (A + U), 215
— —, ultraviolet irradiated dependence on wavelength of photo product yields, 245
— —, inhibition of repressor formation in lactose system of *Escherichia coli* by inhibitors of, 517
Puliti, R. (see Damiani, A.), 211

Replication of chromosomes in *Escherichia coli* regulation: a comparison of the effects of phenethyl alcohol treatment with those of amino acid starvation, 9
Repressor formation in lactose system of *Escherichia coli* by inhibitors of protein synthesis, inhibition of, 525
Respiratory deficiency, biochemical correlates. VI. Mitochondrial DNA, 453
Reticulocyte soluble fraction, genetic information carried transfer to ribosomes of another species, 427
Ribonucleic acid, bacteriophage β in growing cells of *Escherichia coli* at high temperature, perpetuation of genome of a temperature-sensitive mutant of, 575
— —, DNA-like, synthesis and accumulation during embryogenesis of *Xenopus laevis*, 81
— —, giant-size, rapidly labeled nuclear, in immature duck erythrocytes, 145
— — of low molecular weight, synthesis and accumulation during embryogenesis of *Xenopus laevis*, 95
— —, mammalian DNA-like, isolated by chromatography on methylated bovine serum albumin–kiesleguhr columns, 283
— —, messenger, control of the synthesis and decay in *Escherichia coli*, 559
— — —, in immature duck erythrocytes, 145
— —, soluble, leucyl, modification after bacteriophage infection, 183
— —'s, their optical properties, predicted from oligomers, 39
— — synthesis in Ehrlich ascites cells: effect of low concentrations of actinomycin D, 63
Ribosomal subunits and polyribosomes extraction from fragile growing *Escherichia coli*, 123
Ribosomes from *Escherichia coli*, immunological analysis of the proteins, 447
—, transfer of genetic information from a soluble fraction of reticulocytes of another species, 427

Riley, M. (see Oppenheim, A. B.), 331
—, Maling, B. & Chamberlin, M. J., Physical and chemical characterization of two- and three-stranded adenine–thymine and adenine–uracil homopolymer complexes, 359
Ripamonti, A. (see Damiani, A.), 211
Roberts, W. K. & Newman, J. F. E., Use of low concentrations of actinomycin D in the study of RNA synthesis in Ehrlich ascites cells, 63

Saccharomyces cerevisiae, super-suppressor mutations, 307
Sakai, H. (see Kiefer, B.), 75
Santer, M. (see Estrup, F.), 447
Schapira, G., Padieu, P., Maleknia, N., Kruh, J. & Dreyfus, J. C., Information génétique portée par une fraction soluble de réticulocytes et traduite en proteine spécifique sur les ribosomes d'un autre espèce, 427
Schlessinger, D. (see Mangiarotti, G.), 123
Schwimmer, S. & Olivera, B. M., Electrophoretic properties of enzymically synthesized DNA, 585
Shinoda, T. (see Glassman, E.), 419
Sjöquist, J., Degradation of human γG-globulin with cyanogen bromide, 537
— & Vaughan, M. H., Jr., Heterogeneity of H and L chains of normal and myeloma γG-globulin, 527
Smith, B. J., Some effects of bromouracil on the kinetics of thymineless death in *Escherichia coli*, 21
Solari, A. J. (see Kiefer, B.), 75
Sox, H. C., Jr. & Hoagland, M. B., Functional alterations in rat liver polysomes associated with starvation and refeeding, 113
Sueoka, N. (see Kano-Sueoka, T.), 183
Super-suppressor mutations in *Saccharomyces cerevisiae*, 307
Szybalski, W. (see Kubinski, H.), 313

T4 (see bacteriophage), 553
Tawada, K. (see Asai, H.), 403
1,3,7,9-Tetramethyluric acid and 3,4-benzyprene, a 2:1 crystalline complex, the molecular geometry, 211
Tewari, K. K., Vötsch, W., Mahler, H. R. & Mackler, B., Biochemical correlates of respiratory deficiency. VI. Mitochondrial DNA, 453
Thymine–adenine and adenine–uracil homopolymer complexes, two- and three-stranded, physical and chemical characterization, 359
Tinoco, I., Jr., (see Cantor, C. R.), 39
— (see Warshaw, M. M.), 29
Tsuchida, N., Nonoyama, M. & Ikeda, Y., Perpetuation of genome of a temperature-sensitive mutant of RNA bacteriophage β in growing cells of *Escherichia coli* at high temperature, 575

Ultraviolet-irradiated poly (A + U) relative to poly U, suppression of hydrate and dimer formation, 215
— — poly U, dependence on wavelength of photoproduct yields, 245
— photochemistry of poly U, mathematical aspects, 231
— sensitivity and functional capacity in bacteriophage T4, 545
Uracil–adenine and adenine–thymine homopolymer complexes, two- and three-stranded, physical and chemical characterization, 359

Vaughan, M. H., Jr. (see Sjöquist, J.), 527
Vötsch, W. (see Tewari, K. K.), 453

Warshaw, M. M. & Tinoco, I., Jr., Optical properties of sixteen dinucleoside phosphates, 29
Weber, K., Notani, G., Wikler, M. & Konigsberg, W., Amino acid sequence of the f_2 coat protein, 423
Whillans, D. W. (see Pearson, M.), 245
Wikler, M. (see Weber, K.), 423

Xenopus leavis, synthesis and accumulation of low molecular weight RNA during embryogenesis, 95
— —, — — — — DNA-like RNA during embryogenesis, 81